



DXB-AD-140-2296

رقم التسجيل :

15-10-2018

التاريخ :

قطاع المجتمعات المستدامة

إدارة الشؤون البلدية

### شهادة تسجيل مبيد حشري

مبيدات جاهزة للاستخدام ( حشري )

تشهد وزارة التغير المناخي والبيئة بأن المبيد بالمواصفات التالية

الاسم التجاري للمبيد : Intice 10 Perimeter bait

بلد التسجيل : الولايات المتحدة الأمريكية

المواد الفعالة وتركيزها : Orthoboric Acid 10%

CAS RN : NA

صورة المستحضر : Granular Bait

حجم العبوة : كيلو جرام 1.8

بلد (التسجيل/المنشأ) والشركة المنتجة : الولايات المتحدة الأمريكية - Rockwell Labs

الشركة المحلية المستوردة : Ecovar Trading LLC

تاريخ إصدار الشهادة : 15-10-2018 صالحة حتى : 22-09-2023

ملاحظات : لا يوجد

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

### ملاحظات :


- يعاد تقييم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
- تُلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه آثار جانبية ضارة

سددت الرسوم 3003 درهم

رقم إيصال الشهادة : 180074288126

تاريخ إيصال الشهادة : 23-09-2018

مدير إدارة الشؤون البلدية



DXB-AD-140-2296

UNITED ARAB EMIRATES  
MINISTRY OF CLIMATE CHANGE  
& ENVIRONMENT



الإمارات العربية المتحدة  
وزارة التغير المناخي  
والبيئة



DXB-AD-140-2296

Treats up to 1000 sq ft per Pound

# InTice<sup>10</sup>™

## perimeter bait

**Kills Roaches, Crickets, Mole Crickets, Sowbugs, Pillbugs, Earwigs, Silverfish, Millipedes, Snails, Slugs and Ants\***

\*Except Pharaoh Ants, Fire Ants, Harvester Ants

**For Indoor, Outdoor, & Turf Uses**  
**Mold & Moisture Resistant**  
**Ready-to-Use Bait**

Active Ingredient: Orthoboric Acid ....10%

Other Ingredients:.....90%

Total:.....100%

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Use Restrictions:** In food areas of restaurants, residential, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food handling and food processing establishments, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

**Use Sites:** In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, landscape beds, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, ornamental turf, parks, playing fields, right-of-ways, and golf courses. Turf use not allowed in the State of California.

### Outdoor Application

Apply bait at a rate of 1 lb (about 3 cups) per 1000 square feet. Apply in a band from two up to four feet wide around the perimeter of buildings. Also apply around exterior light fixtures and along the edges of sidewalks, patios and driveways and under decks. Apply bait early in the season in areas likely to be infested, such as mulch beds, flowerbeds, fruit and vegetable gardens, compost heaps, wood piles, and around trees, stumps and trash areas. The bait may also be sprinkled in and around rodent bait stations to control insects that harbor in these stations. When treating for ants, apply ½ to 1 oz of bait around ant mounds and sprinkle along foraging trails. For ants, pay particular attention to harborage areas and apply bait around trees and stumps, in tree cavities, in and around firewood piles, around landscaping stones and in mulch beds. Bait may also be applied in insect bait stations. Reapply bait after one week if infestation is still present. In home greenhouses, apply bait at a rate of 3 oz (2/3 cups) per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

**For Carpenter Ants:** Evenly apply bait at a rate of 14 oz by weight (3 cups) per 100 sq ft. Apply in a band not to exceed one foot in width around trees and stumps, firewood piles, structure foundations and other potential nest sites. The bait may also be applied in tree cavities and firewood piles, and under porches and decks. Do not apply more than 2 lbs per 1000 sq ft of total site area, or 90 lbs per acre.

**Sewer Application:** Apply bait along ledges inside sewers and around manhole covers.

### Indoor Application

Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster, apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. For crack and crevice treatments, use a duster and apply 1 to 3 puffs per linear foot based on level of infestation. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

### Application tips for certain sites follow:

1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics

## KEEP OUT OF REACH OF CHILDREN CAUTION

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks.

### First Aid

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call 800 858 7378.

**Environmental Hazards:** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

EPA Reg. No.: 73079-6

EPA Est. No.: 73079-MO-1

Net Contents: 1, 4, 10, 40 lbs



should have proper ventilation to insure that no food odor from the bait seeps into the living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.

2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.

3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. Do not leave any bait exposed when drawers are replaced.

4. Electrical switch plate covers can be removed to allow access to voids, but bait must not be applied directly in electrical boxes.

5. If there are cracks between baseboards, cabinets, doorframes, hinges, counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.

6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems.

To help prevent insect problems from developing in homes and buildings, a preventative program is recommended. Once per quarter, apply bait in a band around the outside building perimeter. Once per year, apply bait in attics and crawlspaces. Follow Indoor/Outdoor Application Directions above.

### Food Processing and Handling Establishment Application, including Federally-

**Inspected Meat and Poultry Plants:** Follow instructions for other sites as appropriate. In food areas, only apply bait in cracks, crevices, and other inaccessible areas. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be swept into cracks and crevices or removed.

### Turf Application (Except in the State of California)

Apply bait evenly over the affected area at a rate of 1 lb per 1000 sq ft or 45 lbs per acre. Do not water the bait in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening.

### Storage and Disposal

#### For 10 lb and 40 lb containers:

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place. Do not store where children or animals may gain access.

**Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

#### Or, for 1 lb and 4 lb containers:

This storage/application container may be refilled by the end-user of the product. Refill only with InTice 10 Perimeter Bait.

**Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

Green Zone is not a third party certification.

---

## 1. PRODUCT IDENTIFICATION

### 1.1. Product Identifiers

Product name : **InTice™ 10 Perimeter Bait**

### 1.2. Other Means of Identification

Product synonyms : none

### 1.3. Recommended Uses/Restrictions to Use

Uses : 10% boric acid granule for control of various pest species per label

Restrictions : See product label for details

### 1.4. Supplier Details

Company : Rockwell Labs Ltd  
1257 Bedford Avenue  
North Kansas City, MO 64116-4308  
USA

Telephone : 1 816-283-3167

### 1.5. Emergency Contact

Outside normal business hours

Emergency Phone # : 1 800-424-9300 (USA & Canada)  
1 703-527-3887 (Outside USA & Canada)

---

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of Substance or Mixture

none

### 2.2. GHS label elements, including precautionary statements

Pictogram(s) none

Signal word none

Hazard statement(s)  
none

Precautionary statement(s)  
none

### 2.3. Other hazards which do not result in classification

In animal feeding tests, boric acid has been shown to impair fertility at very high doses. However, decades of occupational exposure in humans have shown no adverse effects associated with this material.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

##### Hazardous Component(s) or components of note:

Chemical Identity	Contains (% w/w)	CAS-No.	Hazard Classification
Orthoboric Acid (Boric Acid)	10.0	10043-35-3	none

---

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

##### General advice

Consult a physician or poison control center. Provide this safety data sheet to medical personnel. Move out of hazardous areas.

##### If inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

##### In case of skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

##### In case of eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

##### If swallowed

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Boric acid may cause gastrointestinal discomfort with ingestion of more than an incidental amount.

#### 4.3. Indication of any immediate medical attention and special treatment needed, if necessary

None known

---

### 5. FIRE FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2. Specific hazards arising from the chemical**

Oxides of carbon, sulfur, and nitrogen

**5.3. Special protective equipment and precautions for fire fighters**

Wear self contained breathing apparatus for firefighting if deemed necessary.

Additional information: none

**5.4. Further information**

No data available

---

**6. ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with spilled product and contaminated surfaces. Evacuate personnel to safe areas during emergencies. For safe handling instructions see section 7. For proper PPE see section 8.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not allow release directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark.

**6.3. Methods and materials for containment and cleaning up**

Sweep up any spilled material and dispose of according to instructions in section 13. Wash contaminated surfaces with soap and water.

---

**7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene practices. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks. For additional precautions see section 2.2

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a dry place. Store in original container. Do not store where children or animals may gain access.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Components with workplace parameters

Component	CAS-No.	Value	Control parameters	Basis
none	-----	-----	-----	-----

**8.2. Appropriate engineering controls**

Ensure relevant engineering controls are employed to prevent exceeding threshold values for the listed control parameters in section 8.1.

**8.3. Individual protection measures, such as personal protective equipment**

In normal use and handling conditions refer to the product label for required PPE. In all other cases the following recommendations would apply.

**Eye/face protection**

Safety glasses or other similar eye protection conforming to ANSI Z87.1 standards recommended when handling product.

**Skin protection**

Chemical resistant nitrile rubber or similarly compatible gloves recommended when handling product. Dispose of contaminated gloves after use in accordance with applicable local and state regulations. Wash exposed skin with soap and water immediately. Wash all contaminated clothing prior to reuse.

**Respiratory protection**

Not required under normal use conditions. Particulate respirator recommended when risk assessment shows need for air-purifying respirators.

**Thermal hazards**

None known

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Appearance;	Yellow/brown granule
Odor;	Slight, food
Odor threshold;	No data available
pH;	6.1 @ 1.0% in water (22 °C)
Melting point/freezing point;	No data available
Initial boiling point and boiling range;	No data available
Flash point;	No data available
Evaporation rate;	No data available
Flammability (solid, gas);	No data available
Upper/lower flammability or explosive limits;	No data available
Vapor pressure;	No data available
Vapor density;	No data available
Relative density;	0.51 g/mL
Solubility;	Water, partial
Partition coefficient: n-octanol/water;	No data available
Auto-ignition temperature;	No data available
Decomposition temperature;	No data available

Viscosity;

No data available

**9.2. Additional Information**

No data available

---

**10. STABILITY AND REACTIVITY****10.1. Reactivity**

No data available

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

Avoid excessive moisture.

**10.5. Incompatible materials**

Strong oxidizing agents. Strong reducing agents.

**10.6. Hazardous decomposition products**

Other decomposition products – no data available

In the event of a fire: see section 5

---

**11. TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Acute Toxicity**

LD50 Oral – Rat – limit test - &gt; 5000 mg/kg

LD50 Dermal – Rat – limit test - &gt; 5000 mg/kg

LD50 Inhalation – no data available

**Skin corrosion/irritation**

Skin – Rabbit

Results: slight skin irritation

(OECD Test Guideline 404)

**Serious eye damage/irritation**

Eye – Rabbit

Results: mild eye irritation

(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Not a known sensitizer

**Germ cell mutagenicity**

Not a known mutagen

**Carcinogenicity**

IARC: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



ACGIH: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

**Reproductive toxicity**

In animal feeding tests, boric acid has been shown to impair fertility at very high doses. However, decades of occupational exposure in humans have shown no adverse effects associated with this material.

**Specific target organ toxicity – single exposure**

No data available

**Specific target organ toxicity – repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2. Other information**

No data available

---

**12. ECOLOGICAL INFORMATION****12.1. Toxicity**

Toxicity to fish no data available

Toxicity to daphnia no data available

and other aquatic

invertebrates

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****13.1. Disposal Methods.**

The best disposal method is to use the entire quantity per label directions. If it is necessary to dispose of unused material then follow the label instructions and relevant local, state and federal waste disposal guidelines.

Product Disposal:

Do not contaminate water, food or feed by storage or disposal.

Packaging Disposal:

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

See section 8 for proper PPE and precautionary handling measures.

---

## 14. TRANSPORT INFORMATION

**DOT**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

## 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

Causes moderate eye irritation

Avoid contact with skin, eye or clothing

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet

In the State of California: Personal Protective Equipment (PPE) Applicators and handlers must wear: shoes plus socks.

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

None

**California Proposition 65 Components**

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

**TSCA**

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

---

**16. OTHER INFORMATION****Acronyms and abbreviations used**

LD50	Lethal Dose, 50%
OECD	Organization for Economic Cooperation and Development
IARC	International Agency for Research on Cancer
ACGIH	American Conference of Industrial Hygienists
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
SARA	Superfund Amendments and Reauthorization Act
TSCA	Toxic Substances Control Act
CAS-No.	Chemical Abstract Services - Number
PPE	Personal Protective Equipment
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association
PPM	Parts Per Million

**Hazard Rating System Crossover**HMIS Rating

Health Hazard:	0
Flammability:	0
Reactivity:	0

NFPA Rating

Health Hazard:	0
Flammability:	0
Reactivity:	0

**Preparation information**

Prepared by:	Rockwell Labs Ltd
Version:	1.0
Revision Date:	May 15, 2015
Reason for revision:	none

Notice to Reader: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Rockwell Labs Ltd provides no warranties, express or implied, and assumes no responsibility for the accuracy and completeness of the data contained herein. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are trademarks of Rockwell Labs Ltd.