



AUD-AD-140-1475113
07-06-2020

رقم التسجيل :
التاريخ :

قطاع المجتمعات المستدامة
إدارة الشؤون البلدية

شهادة تسجيل مبيد كيميائي مقيد

مبيد صحة عامة (حشري)

تشهد وزارة التغير المناخي والبيئة بأن المبيد بالمواصفات التالية

الاسم التجاري للمبيد : Actellic 50 CE

بلد التسجيل : المكسيك

المواد الفعالة وتركيزها : Pirimiphos Methyl 500 g/L

CAS RN : 29232-93-7

صورة المستحضر : Emulsifiable Concentrate

حجم العبوة : 0.5, 1, 5 لتر

بلد (التسجيل/المنشأ) والشركة المنتجة : Syngenta Crop Protection AG - الدنمارك

الشركة المحلية المستوردة : Agricultural Materials Co, LTD

تاريخ إصدار الشهادة : 07-06-2020 صالحة حتى : 22-05-2023

ملاحظات : لا يوجد

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

ملاحظات :

- يعاد تقييم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
- تلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه آثار جانبية ضارة

سددت الرسوم 3003 درهم

رقم إيصال الشهادة : 200024153058

تاريخ إيصال الشهادة : 13-04-2020

مدير إدارة الشؤون البلدية

رمز التحقق : 147-5113



للتحقق من صحة بيانات هذا
المستند يرجى مسح الشيفرة
أو زيارة موقع الوزارة

To verify this document
please scan the QR code
or visit the ministry's website

هذا المستند معتمد إلكترونياً ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

PRECAUTIONARY STATMENTS

Keep locked up out of reach of children and unauthorized persons and animals. Avoid any contact with skin eyes or clothing. Do not breathe the vapor or mist. Do not eat, drink or smoke during the use and handling of the product. If inhalation occurs stop working, follow first aid measures and call a physician. Wear protective clothing, gloves, overalls and eye/face protection.

التحذيرات

تحفظ العبوات مغلقة بعيدا عن متناول الاطفال والاشخاص غير المخولين والحيوانات. تجنب ملامسة الجلد والملابس واصابة العينين. لا تستنشق بخار ورذاذ المبيد. الامتناع عن الاكل والشرب والتدخين أثناء تداول واستخدام المبيد. التوقف عن العمل فور استنشاق المبيد واتخاذ اجراءات الاسعافات الاولى واستدعاء الطبيب. ضرورة لبس الملابس الواقية.

الاسعافات الأولية First Aid

If Swallowed: Don't induce vomiting, immediately contact a doctor and show him the label or container.

في حالة الابتلاع: لا تتقيأ و اتصل فوراً بالطبيب و احضر له النشرة الفنية أو عبوة المبيد.

If Inhaled: consult a doctor.

في حال استنشاق المبيد: استشر الطبيب.

If on Skin: should be washed off with soap and water.

في حال ملامسة المبيد للجلد: يجب غسله بالماء و الصابون.

If in Eyes: wash immediately with running water and consult a doctor.

في حال ملامسة المبيد للعيون: تغسل فوراً بالماء الجاري و استشارة الطبيب.

STORAGE AND DISPOSAL

Store in original tightly closed containers, away from children. Store in adequate ventilation. Do not use or store in or around homes. Do not contaminate water, food or feed by storage or disposal. To dispose, triple rinse the container then punctures and disposes in accordance with local regulations. Never reuse empty containers.

التخزين و التخلص من العبوات

التخزين في العبوات الاصلية محكمة الاغلاق بعيدا عن الاطفال وفي مكان جيد التهوية. عدم استعمال او تخزين المبيد قريبا من السكن. تجنب تلوث الاكل والشراب وطعام الحيوانات أثناء التخزين. التخلص من الفوارغ حسب القوانين المحلية.

Actellic 50 CE

اكتيليك سي اي

Emulsifiable Concentrate

مركز قابل للاستحلاب

مبيد حشري صحة عامة وزراعي لمكافحة افات
المخازن وافات الصحة العامة

Public Health and agricultural insecticide

Active Ingredients: Pirimiphos methyl 500g/L

المواد الفعالة: بيريميپفوس ميثايل 500 جرام / لتر

Inert Ingredients: 500 g/L المواد الحاملة

تحذير Caution

KEEP OUT OF REACH OF CHILDREN

يحفظ بعيدا عن متناول الاطفال

MOCCA Registration Number:

AUD-AD-140-1475113

(رقم تسجيل المبيد بوزارة التغير المناخي والبيئة)

دولة الامارات العربية المتحدة

الشركة المنتجة - Manufacturing Company

Syngenta Crop Protection AG

شركة سنجنطا

Country of origin: Denmark/الدنمارك

Local Distributor

Agricultural Materials Company Ltd

شركة المواد الزراعية المحدودة - ذ.م.م

P.O.Box 1290 AL Ain /UAE

Tel 00971 3 7641064

Email : amc.emirates@agrimatco-me.com

Net Contents: 1L

المحتوى الصافي: 1 لتر

DIRECTIONS FOR USE

Actellic 50 EC: Is a fast acting broad spectrum organophosphate of low mammalian toxicity. It kills insect s by contact, ingestion and fumigant. Actellic 50 EC control a range of pests in grain, grain store, livestock houses and yards. Insect pests controlled include: Beetles, Weevils, Moth, Wasps and Fly. Actillec 50 EC provides rapid knockdown of insect pests when spraying and will persist on walls, floors and other inert surfaces to give residual control.

طريقة الاستخدام

اكتيليك أي سي: مبيد حشري يستخدم رشاً لمكافحة طيف واسع من حشرات المخازن والصحة العامة حيث يعمل بالملامسة والاثار المتبقية والجهاز الهضمي والاثار البخاري. ويعتبر مبيد اكتيليك من المبيدات قليلة السمية للحيوانات. ويستخدم المبيد في اماكن متعددة مثل مخازن الحبوب واماكن تربية الحيوانات وفي المنازل لمكافحة الخنافس والسوس والعث والذبابةير والذباب.

Table of use next pages

*****Restricted Insecticide to be used by authorized persons or under their supervision.**

***** مبيد حشري مقيد الاستخدام ويجب ان يستخدم تحت اشراف فنيين متخصصين .**

WARRANTY STATEMENT الضمان

The manufacturer guarantee the chemical and physical specification of this pesticide if stored in original packing under good storage conditions during its validity period under UAE conditions

تضمن الشركة المنتجة المواصفات الكيميائية والفيزيائية لهذا المبيد اذا تم تخزينه في ظروف تخزين جيدة بعبواته الاصلية طيلة فترة صلاحيته تحت ظروف دولة الامارات العربية المتحدة.

P/Date: تاريخ الانتاج
E/Date: تاريخ الانتهاء
Batch No.

الاستخدامات USES

Pests الآفات	Pest الآفة	Application Volume حجم الرش
Disinfestations of empty grain stores , silos, treatment of bagged small grains معاملة المخازن الفارغة، الصوامع ومعاملة اكياس الحبوب	Beetles, weevils, grain moth, fruit moth, flour mite, lesser moth, dried fruit moth, cereal mite, flat grain , beetle, brown house moth, house moth الخنافس، الموس، عثة الحبوب، عثة الفاكهة، عثة الفاكهة الجافة، العث الصغرى، عنكبوت الحبوب، العثة المنزلية البنية، عثة المنازل	200 ml in 10 liters water
Unpainted concrete surfaces السطوح الاسمنتية غير المدهونة		200 ml in 10 liters water 200 مل / 10 لتر ماء
Other surfaces الاسطح الاخرى		100 ml in 10 liters water 100 مل / 10 لتر ماء
Bagged grain الحبوب المعبأة		50-100 ml in 10 liters water 100-50 مل / 10 لتر ماء
Admixture to stored grain معاملة الحبوب		8 ml per ton of grain 8 مل / طن
Indoor residual spray slaughter houses, dairy, factories, poultry houses المسالخ، حظائر الحيوانات، اماكن تربية الدواجن	Flies الذباب	100 ml in 10 liter water 100 مل / 10 لتر ماء
Outdoor: Stockyards, around animal houses, refuse tips, bins and compost heaps الحظائر، محيط بيوت الحيوانات، صفائح القمامة، معاملة الاسمدة العضوية	Flies الذباب	500 ml in 10 liter water 500 مل / 10 لتر ماء
Outdoor nests الاعشاش	Wasps الدبابير	100 ml in 10 liter water 100 مل / 10 لتر ماء

Residual Insect Control

Target Pest and Situation الآفة المستهدفة	Application rate (active ingredient) معدل الاستخدام مادة فعالة	Diluent وسط الرش	Amount of ACTELIC® 50EC per 1 Liter spray كمية المبيد المستخدمة لكل لتر ماء	Application Volume حجم الرش
Malaria mosquitoes بعوض الملاريا	1-2g/m ² 2-1 غم/م ²	Water ماء	50-100ml 100-50 مل	40ml spray solution / m ² 40 مل محلول رش / م ²
Flies and nuisance mosquitoes: INDOORS	0.5g/m ² 0.5 غم/م ²		25ml 25 مل	
Flies: long persistence OUTDOORS	1-2g/m ² 2-1 غم/م ²		50-100ml 100-50 مل	
Cockroaches	1-2g/m ² 2-1 غم/م ²		50-100ml 100-50 مل	

Space Treatment

Target Pest and Situation الآفة المستهدفة	Application rate (active ingredient) معدل الاستخدام مادة فعالة	Diluent وسط الرش	Amount of ACTELLIC® 50EC per 1 Liter spray كمية المبيد المستخدمة لكل لتر ماء	Application Volume L/ ha حجم الرش لتر/ هكتار
Mosquitoes-البعوض				
Thermal Fog-التضبيب الحراري				
Hand-held المحمول باليد	100g/ha 100 غم/ هكتار	Kerosene / diesel كيروسين او ديزل	100ml 100 مل	2
Vehicle-Mounted المحمول على سيارة			40ml 40 مل	5
Cold aerosol ULV-التضبيب البارد				
Ground-الرضي	100g/ha 100 غم/ هكتار	Kerosene / diesel كيروسين او ديزل	400ml 400 مل	0.5
Aerial-الهوائي	200g/ha 200 غم/ هكتار		200ml 200 مل	2
Flies-الذباب				
Thermal Fog-التضبيب الحراري				
Hand-held المحمول باليد	200g/ha 200 غم/ هكتار	Kerosene / diesel كيروسين او ديزل	200ml 200 مل	2
Vehicle-Mounted المحمول على سيارة			80ml 80 مل	5
Cold aerosol ULV-التضبيب البارد				
Ground-الرضي	250g/ha 250 غم/ هكتار	Kerosene / diesel كيروسين او ديزل	1000ml 1000 مل	0.5
Aerial-الهوائي	400g/ha 400 غم/ هكتار		400ml 400 مل	2

Mosquito larvicide

Target Pest and Situation الآفة المستهدفة	Application rate (active ingredient) معدل الاستخدام مادة فعالة	Diluent وسط الرش	Amount of ACTELLIC® 50EC per 1 Liter spray كمية المبيد المستخدمة لكل لتر ماء	Application Volume L/ ha حجم الرش لتر/ هكتار
Short persistence / Shallow water الاستمرار القصير/ المياه الضحلة	50g/ha 50 غم/ هكتار	Water ماء	1ml 1 مل	100
Long persistence / Deep Water الاستمرار الطويل/ المياه العميقة	500g/ha 500 غم/ هكتار		10ml 100 مل	100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0	Revision Date: 07.08.2018	SDS Number: S00006573768	This version replaces all previous versions.
-----------------	------------------------------	-----------------------------	--

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: ACTELLIC 50EC
Design code	: A5832C
Product Registration Number	: MAPP 12726

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Insecticide
-----------------------------------	---------------

1.3 Details of the supplier of the safety data sheet

Company	: Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	: +44 (0) 1223 883400
Telefax	: +44 (0) 1223 882195
E-mail address of person responsible for the SDS	: customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone number	: +44 1484 538444
-------------------------------	-------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

Specific target organ toxicity - single exposure, Category 1	H370: Causes damage to organs.
--	--------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

II

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H370 Causes damage to organs.
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

:

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

:

P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pirimiphos-methyl (ISO)	29232-93-7 249-528-5 015-134-00-5	Acute Tox. 4; H302 STOT SE 1; H370 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 30 - < 50
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	64742-95-6 265-199-0 649-356-00-4 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H336 STOT SE 3; H335 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 30 - < 50
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
4-methylpentan-2-one	108-10-1 203-550-1 606-004-00-4 01-2119473980-30	Flam. Liq. 2; H225 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10
2-methylpropan-1-ol	78-83-1	Flam. Liq. 3; H226	>= 1 - < 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0 Revision Date: 07.08.2018 SDS Number: S00006573768 This version replaces all previous versions.

	201-148-0 603-108-00-1 01-2119484609-23	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 STOT SE 3; H335	
--	---	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Poisoning produces effects associated with anticholinesterase activity which may include:
Nausea
Diarrhoea
Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Consider taking venous blood for determination of blood cholinesterase activity (use heparin tube)
Administer atropine sulphate as antidote.
Specific antidotes are oximes (e.g. Pralidoxime) or Toxogonin

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : | Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance. |
|---------------------------------------|---|---|

5.3 Advice for firefighters

- | | | |
|---|---|---|
| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus. |
| Further information | : | Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | | |
|----------------------|---|--|
| Personal precautions | : | Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback. |
|----------------------|---|--|

6.2 Environmental precautions

- | | | |
|---------------------------|---|---|
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|---|

6.3 Methods and material for containment and cleaning up

- | | | |
|-------------------------|---|--|
| Methods for cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local |
|-------------------------|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0 Revision Date: 07.08.2018 SDS Number: S00006573768 This version replaces all previous versions.

/ national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal feed-stuffs. No smoking.

Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
pirimiphos-methyl (ISO)	29232-93-7	TWA	3 mg/m ³ (Skin)	Syngenta
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	64742-95-6	TWA	19 ppm 100 mg/m ³	Supplier
4-methylpentan-2-one	108-10-1	TWA	20 ppm 83 mg/m ³	2000/39/EC

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

Further information	Indicative			
	108-10-1	STEL	50 ppm 208 mg/m ³	2000/39/EC
Further information	Indicative			
	108-10-1	TWA	50 ppm 208 mg/m ³	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
	108-10-1	STEL	100 ppm 416 mg/m ³	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 154 mg/m ³	GB EH40
	78-83-1	STEL	75 ppm 231 mg/m ³	GB EH40

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
4-methylpentan-2-one	108-10-1	4-methylpentan-2-one: 20 micromol per litre (Urine)	After shift	GB EH40 BAT

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified	Workers	Inhalation	Long-term systemic effects	150 mg/m ³
	Workers	Dermal	Long-term systemic effects	25 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m ³
	Consumers	Dermal	Long-term systemic effects	11 mg/kg
calcium dodecylbenzenesulphonate	Consumers	Oral	Long-term systemic effects	11 mg/kg
	Workers	Dermal	Long-term systemic effects	1.7 mg/kg
	Consumers	Dermal	Acute systemic effects	85 mg/kg
4-methylpentan-2-one	Consumers	Oral	Long-term local effects	89 mg/kg
	Workers	Inhalation	Long-term systemic effects	83 mg/m ³
	Workers	Inhalation	Acute systemic effects	208 mg/m ³
	Workers	Inhalation	Long-term local effects	83 mg/m ³
	Workers	Inhalation	Acute local effects	208 mg/m ³
	Workers	Dermal	Long-term systemic	11.8 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

			effects	
	Consumers	Inhalation	Long-term systemic effects	14.7 mg/m3
	Consumers	Inhalation	Acute systemic effects	155.2 mg/m3
	Consumers	Inhalation	Long-term local effects	14.7 mg/m3
	Consumers	Inhalation	Acute local effects	155.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	4.2 mg/kg
	Consumers	Oral	Long-term systemic effects	4.2 mg/kg
2-methylpropan-1-ol	Workers	Inhalation	Long-term systemic effects, Long-term local effects	310 mg/m3
	Consumers	Inhalation	Long-term systemic effects, Long-term local effects	55 mg/m3
	Consumers	Oral	Long-term systemic effects, Long-term local effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium dodecylbenzenesulphonate	Fresh water	0.023 mg/l
	Marine water	0.0023 mg/l
	Intermittent use/release	0.01 mg/l
	Fresh water sediment	0.174 mg/kg
	Marine sediment	0.0174 mg/kg
	Sewage treatment plant	3 mg/kg
4-methylpentan-2-one	Soil	0.62 mg/kg
	Fresh water	0.6 mg/l
	Marine water	0.06 mg/l
	Freshwater - intermittent	1.5 mg/l
	Sewage treatment plant	27.5 mg/l
	Fresh water sediment	8.27 mg/kg
2-methylpropan-1-ol	Marine sediment	0.83 mg/kg
	Soil	1.3 mg/kg
	Fresh water	0.4 mg/l
	Sewage treatment plant	10 mg/l
	Soil	0.0699 mg/kg
	Marine sediment	0.152 mg/kg
	Fresh water sediment	1.52 mg/kg
	Marine water	0.04 mg/l

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Face-shield

Use eye protection according to EN 166.

Hand protection

Material	: Nitrile rubber
Break through time	: > 480 min
Glove thickness	: 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with combination filter for vapour/particulate (EN 141)
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Filter type : Combined particulates and organic vapour type (A-P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0	Revision Date: 07.08.2018	SDS Number: S00006573768	This version replaces all previous versions.
-----------------	------------------------------	-----------------------------	--

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid, clear
Colour	: light yellow to brown
Odour	: aromatic
Odour Threshold	: No data available
pH	: 4 - 8 Concentration: 1 % w/v
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 46 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.02 g/cm ³ (25 °C)
Solubility(ies)	
Solubility in other solvents	: Miscible Solvent: Water
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 410 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : 4.61 mPa.s (40 °C)
8.08 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 35.3 mN/m, 25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): 300 - 2,000 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion. |
| Acute inhalation toxicity | : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity |

Components:

pirimiphos-methyl (ISO):

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, male and female): 1,414 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity |

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

- | | |
|---------------------|---------------------------|
| Acute oral toxicity | : LD50 (Rat): 3,952 mg/kg |
|---------------------|---------------------------|

4-methylpentan-2-one:

- | | |
|---------------------------|--|
| Acute inhalation toxicity | : Assessment: The component/mixture is moderately toxic after short term inhalation. |
|---------------------------|--|

2-methylpropan-1-ol:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat): 2,830 - 3,350 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 18.18 mg/l
Exposure time: 6 h
Test atmosphere: vapour |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 - 2,460 mg/kg |

Skin corrosion/irritation

Product:

- | | |
|---------|----------------------|
| Species | : Rabbit |
| Result | : No skin irritation |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Components:

pirimiphos-methyl (ISO):

Species	: Rabbit
Result	: No skin irritation

calcium dodecylbenzenesulphonate:

Result	: Irritating to skin.
--------	-----------------------

2-methylpropan-1-ol:

Result	: Irritating to skin.
--------	-----------------------

Serious eye damage/eye irritation

Product:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

Components:

pirimiphos-methyl (ISO):

Species	: Rabbit
Result	: No eye irritation

calcium dodecylbenzenesulphonate:

Result	: Irreversible effects on the eye
--------	-----------------------------------

4-methylpentan-2-one:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

2-methylpropan-1-ol:

Result	: Risk of serious damage to eyes.
--------	-----------------------------------

Respiratory or skin sensitisation

Product:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: May cause sensitisation by skin contact.

Components:

pirimiphos-methyl (ISO):

Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

Germ cell mutagenicity

Components:

pirimiphos-methyl (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Germ cell mutagenicity- Assessment : Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

2-methylpropan-1-ol:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

pirimiphos-methyl (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Carcinogenicity - Assessment : Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

Reproductive toxicity

Components:

pirimiphos-methyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

2-methylpropan-1-ol:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Components:

pirimiphos-methyl (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

4-methylpentan-2-one:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

Components:

pirimiphos-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

May be fatal if swallowed and enters airways.

2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00048 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 8.27

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.22 mg/l

End point: Growth rate

Exposure time: 72 h

Components:

pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.404 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.000314 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.38 mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.3 mg/l

End point: Growth rate

Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 4.5 mg/l
Exposure time: 6 h

Toxicity to fish (Chronic toxicity) : NOEC: < 0.025 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00005 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.6 - 2.9 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0	Revision Date: 07.08.2018	SDS Number: S00006573768	This version replaces all previous versions.
-----------------	------------------------------	-----------------------------	--

Test Type: Growth inhibition

NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC: 1.23 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2.14 mg/l
Exposure time: 28 d
Species: Daphnia magna (Water flea)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

calcium dodecylbenzenesulphonate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 21 d

EC50 (Daphnia pulex (Water flea)): 1,100 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Components:

pirimiphos-methyl (ISO):

Stability in water : Degradation half life: 4 - 6 d
Remarks: Product is not persistent.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Biodegradability : Result: Readily biodegradable.

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0	Revision Date: 07.08.2018	SDS Number: S00006573768	This version replaces all previous versions.
-----------------	------------------------------	-----------------------------	--

12.3 Bioaccumulative potential

Components:

pirimiphos-methyl (ISO):

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : Pow: 3.9 (20 °C)
pH: 4

Pow: 4.2 (20 °C)
pH: 5 - 7

12.4 Mobility in soil

Components:

pirimiphos-methyl (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 8.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

pirimiphos-methyl (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

4-methylpentan-2-one:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

2-methylpropan-1-ol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
Waste Code	: 150110, packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN	: UN 1993
ADR	: UN 1993
RID	: UN 1993
IMDG	: UN 1993
IATA	: UN 1993

14.2 UN proper shipping name

ADN	: FLAMMABLE LIQUID, N.O.S. (METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)
ADR	: FLAMMABLE LIQUID, N.O.S. (METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)
RID	: FLAMMABLE LIQUID, N.O.S. (METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)
IMDG	: FLAMMABLE LIQUID, N.O.S. (METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)
IATA	: Flammable liquid, n.o.s.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version
14.0

Revision Date:
07.08.2018

SDS Number:
S00006573768

This version replaces all previous versions.

(METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)

14.3 Transport hazard class(es)

ADN	:	3
ADR	:	3
RID	:	3
IMDG	:	3
IATA	:	3

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 33
Labels	: 3
Tunnel restriction code	: (D/E)
RID	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquid
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 355
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquid

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes
ADR	
Environmentally hazardous	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (Number on list 29, 28)
4-methylpentan-2-one

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version 14.0	Revision Date: 07.08.2018	SDS Number: S00006573768	This version replaces all previous versions.
-----------------	------------------------------	-----------------------------	--

E1	ENVIRONMENTAL HAZARDS	100 t	200 t
----	--------------------------	-------	-------

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H370	: Causes damage to organs.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELLIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

GB EH40 BAT	:	UK. Biological monitoring guidance values
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Flam. Liq. 3	H226
Acute Tox. 4	H302
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 1	H370
STOT SE 3	H336
STOT SE 3	H335
Asp. Tox. 1	H304
Aquatic Acute 1	H400

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Based on product data or assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ACTELIC 50EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	07.08.2018	S00006573768	

Aquatic Chronic 1


H410

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN



An effective, broad spectrum
insecticide for the control of
public health pests

What is ACTELIC?

ACTELIC® is an organophosphate insecticide which controls a wide range of public health pests, including mosquitoes, flies, cockroaches, fleas, ants and other crawling insects. Insects are killed by contact, ingestion and fumigant action. It is equally effective on those insects resistant to organochlorine and some organophosphate chemicals such as malathion.


ACTELIC has a low mammalian toxicity and can be used for the disinfection of domestic premises, industrial and catering establishments, food stores and education establishments. When used in buildings and domestic premises, ACTELIC persists on walls, floors, and other inert surfaces to give long-term residual insect control. ACTELIC can also be used to disinfect beaches, refuse tips and new or seasoned timber.

Furthermore, ACTELIC has been successfully evaluated by the WHO Pesticide Evaluation Scheme (WHOPES) as a mosquito larvicide, space spray and as a residual spray for malaria vector control.

ACTELIC is a highly flexible product that can be used in three key segments of vector insect control: Indoor Residual Spraying (IRS), Space Spraying, and Mosquito Larviciding. Whilst being a highly effective standalone product, within these use patterns ACTELIC is also an excellent alternative to, or rotation partner for pyrethroids as part of a resistance management program. It is extremely important to use products with different modes of action in order to maintain effective long term control of insects such as *Anopheles* spp. that transmit serious human diseases.

Formulations

ACTELIC is available as easy-to-use, emulsifiable concentrate formulations containing either 500g ai per litre (50EC) or 250g ai per litre (25EC).



ACTELIC controls a wide range of public health pests. The more important of these are listed below.

Mosquitoes e.g.

Anopheles spp,
Aedes spp,
Culex spp

Flies, e.g.

Musca domestica, *Calliphoridae*,
Lucilia cuprina, *Coelopa frigida*

Cockroaches e.g.

Blatta orientalis,
Blattella germanica

Bed Bugs

Cimex spp.

Reduviid bugs e.g.

Triatoma infestans

Ants e.g.

Lasius niger,

Wasps e.g.

Vespula vulgaris, *Vespa crabro*

Field data

Control of pyrethroid-resistant *Anopheles funestus* with ACTELIC.


Source: Casimiro, S., Goncalves R., unpublished data.

Since 2002, Actellic has been evaluated in more than 4,000 homes as an Indoor Residual Spray treatment, primarily for the control of *Anopheles* spp. in Catembe, Mozambique. The principle malaria vector in Catembe, *Anopheles funestus*, has developed widespread resistance to pyrethroids and carbamates.


The data (below) demonstrates that *Anopheles arabiensis* are effectively controlled by ACTELIC for at least five months on a variety of typical residential surfaces. Households included in the ACTELIC trials also benefited from the control of other nuisance pests such as endophilic *Culex* spp., cockroaches, bedbugs, and fleas. Commensurate with the control of the mosquito population in the program, malaria prevalence (measured by blood smears) and fever cases (reported to the local Health centre) were both significantly reduced.

Anopheles arabiensis bioassays on surfaces treated with pirimiphos-methyl 2gai/m² in houses at Catembe, 2002 - 2003

Knockdown and Mortality of *Anopheles* exposed to surfaces treated with pirimiphos-methyl 2g a.i./m² in houses at Catembe, Mozambique 2002-2003



Toxicology, environmental safety profile



ACTELIC has an excellent toxicological and environmental safety profile. The information presented demonstrates that ACTELIC presents no significant risk to human, other organism or to the environment when used as directed.

Mammalian toxicity

The toxicity of ACTELIC is summarized as follows:

Acute Oral Median Lethal Dose, Rat (mg/kg)	1500 - 1800	Low toxicity
Acute Dermal Median Lethal Dose, Rat (mg/kg)	>2000	Low toxicity
Eye Irritation, Rabbit	Moderate	No concern
Skin Irritation, Rabbit	Slight	No concern

ACTELIC is predicted to be of low acute and dermal toxicity, not a skin sensitiser, moderate irritant to rabbit eyes and slight irritant to rabbit skin.

The active ingredient pirimiphos-methyl is not carcinogenic or teratogenic.

Fate in Soil

The intended use of ACTELIC is not expected to result in exposure to soil. Pirimiphos-methyl has a soil half-life of less than one month and under some conditions less than 10 days. Therefore, any indirect exposure to soils will have no significant environmental effect.


Fate in Water

ACTELIC is currently applied as a mosquito larvicide directly to non-potable, stagnant, saline, brackish and polluted waters. Exposure to ACTELIC is limited to those aquatic environments, where mosquito breeding occurs, as these waters are unsuitable as a source of drinking water.

ACTELIC degrades in natural water by hydrolysis and photolysis reactions. In estuarine environments where tidal flushing occurs repeat applications are not expected to result in accumulation of ACTELIC residues.

Toxicology, environmental safety profile

Physico-Chemical Properties of Active Ingredient

Common name	Pirimiphos-methyl (ISO)
Chemical name (IUPAC)	0-2-diethylamino-6-methylpyrimidin-4-yl 0,0-dimethylphosphorothioate
Chemical Abstract Registry Number	29232-93-7
Chemical class	Organophosphate
Molecular formula	$C_{11}H_{20}N_3O_3PS$
Chemical Structure	
Molecular weight	305.4
Appearance	White solid
Boiling point	Decomposes at 120°C
Solubility (water)	9.7–11 mg/l at pH9
Solubility (other)	acetone >200g/l, 1,2-dichloroethane >200g/l, methanol >200g/l, ethyl acetate >200g/l, n-heptane 189g/l, xylene >200g/l
Vapour pressure	2.0×10^{-6} kPa at 20°C



Recommended rates of application

Target Pest and situation	Active Ingredient/area	Diluent	Amount of ACTELIC 50EC for 1 litre of spray	Rate of diluted product/area
---------------------------	------------------------	---------	---	------------------------------

RESIDUAL

Malaria mosquitoes	1-2 g/m ²	water	50-100 ml	Apply spray solution at a rate of 40 ml per m ² of surface
Flies and nuisance mosquitoes: indoors	0.5 g/m ²	water	25 ml	
Flies: long persistence outdoors	1-2 g/m ²	water	50-100 ml	
Cockroaches	1-2 g/m ²	water	50-100 ml	

SPACE TREATMENT

Mosquitoes				
Thermal fog				
- hand held	100 g/ha	kerosene/diesel	100 ml	2 L/ha
- vehicle mounted	100 g/ha	kerosene/diesel	40 ml	5 L/ha
Cold aerosol ULV				
- ground	100 g/ha	kerosene/diesel	400 ml	0.5 L/ha
- aerial	200 g/ha	kerosene/diesel	200 ml	2 L/ha
Flies				
Thermal fog				
- hand held	200 g/ha	kerosene/diesel	200 ml	2 L/ha
- vehicle mounted	200 g/ha	kerosene/diesel	80 ml	5 L/ha
Cold aerosol ULV				
- ground	250 g/ha	kerosene/diesel	1L	0.5 L/ha
- aerial	400 g/ha	kerosene/diesel	400 ml	2 L/ha

MOSQUITO LARVICIDE

- short persistence/ shallow water	50 g/ha	water	1 ml	100 L/ha
- long persistence/ deep water	500 g/ha	water	10 ml	100 L/ha

Note: Always read and follow directions for use on the product label.