

MINISTRY OF CLIMATE CHANGE & ENVIRONMENT

قطاع التنوع الغذائى DXB-AD-140-2278 رقم التسجيل: التاريـــخ : إدارة التنمية والصحة الزراعية 03-10-2023

كيميائي	قسجعل معبيك
الاستخدام (حشر يح)	مبيدات جامزة
المواصفات التالية	تشهد وزارة التغير المناحي والبيئة بأن المبيد با
Cimexa Insecticide Dust	الاسم التجاري للمبيسد :
الولايات المتحدة الامريكية	بسلسد التسبجسيل:
Amorphous Cilica Gel 92.1%	الممواد المفعالية و تركييزهيا :
7631-86-9	:CAS RN
Dust	صــــورة المستحضر:
جرام 115	حصب المسع بسوة :
الولايات المتحدة الامريكية - Rockwell Labs	بلد (التسجيل/المنشأ) والشركة المنتجة :
Ecovar Trading LLC	الشركـــة الـمحـليـة الـمسـتــوردة :
03-10-2023 صالحة حتى : 15-09-2028	تاريبخ إصبدار الشهيسادة :
لا يوجد	مـــــــــــــــــــــــــــــــــــــ

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

ملاحطات:

يعاد تقيم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
 يعاد الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوز ارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه أثار جانبية ضارة

سددت الرسوم 3021.42 درهم

رقم إيصال الشهادة : 160034503552649724

تاريخ إيصال الشهادة : 2023-80-29

رمز التحقق: 239-6057

مدير إدارة الشؤون البلدية

المستند يرجي مسح الشيفرة أو زيارة موقع الوزارة To verify this document

هذا المستند معتمد إلكترونيا ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

please scan the QR code or visit the ministry's website

للتحقق من صحة بيانات هذا





Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

1 PR	ODUCT IDENTIEL	CATIC	
1.1.	Product Identifiers		
	Product name	:	CimeXa [™] Insecticide Dust
1.2.	Other Means of Identi	fication	L
	Product synonyms	:	none
1.3.	.3. Recommended Uses/Restrictions to Use		
	Uses	:	Amorphous silica gel dust for the control of various pest species per label
	Restrictions	:	See product label for details
1.4.	Supplier Details		-
	Company	:	Rockwell Labs Ltd
			1257 Bedford Avenue
			North Kansas City, MO 64116-4308
			USA
	Telephone	:	1 816-283-3167
1.5.	Emergency Contact		
	Outside normal business	hours	
	Emergency Phone #	:	1 800-424-9300 (USA & Canada)
			1 703-527-3887 (Outside USA & Canada)

2. HAZARDS IDENTIFICATION

2.1. Classification of Substance or Mixture

none

2.2. GHS label elements, including precautionary statements

 Pictogram(s)
 none

 Signal word
 none

 Hazard statement(s)
 none

 Precautionary statement(s)
 None

none

2.3. Other hazards which do not result in classification



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

This product is very absorbent and may have a drying effect on skin and eyes. When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Chemical Identity	Contains (% w/w)	CAS-No.	Hazard Classification
Amorphous silicon dioxide (silica gel)	97-100	7631-86-9	none

3.2. Mixtures

Not applicable

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Consult a physician or poison control center. Provide this safety data sheet to medical personnel. Move out of hazardous areas.

If inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

In case of skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

- **4.2.** Most important symptoms and effects, both acute and delayed None known
- **4.3.** Indication of any immediate medical attention and special treatment needed, if necessary None known

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

- 5.2. Specific hazards arising from the chemical No data available
- **5.3.** Special protective equipment and precautions for fire fighters Wear self contained breathing apparatus for firefighting if deemed necessary. Additional information: none.
- 5.4. Further information No data available

6. ACCIDENTAL RELEASE MEASURES

- **6.1. Personal precautions, protective equipment and emergency procedures** Avoid contact with spilled product and contaminated surfaces. Evacuate personnel to safe areas during emergencies. For safe handling instructions see section 7. For proper PPE see section 8.
- **6.2. Environmental precautions** Prevent further leakage or spillage if safe to do so.
- 6.3. Methods and materials for containment and cleaning up

Sweep up any spilled material and dispose of according to instructions in section 13. Vacuuming or wet sweeping may be used to avoid dust dispersal. Wash contaminated surfaces with soap and water.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene practices. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse. For additional precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Store product tightly sealed in original container. Store in a dry location. Do not store where children or animals may gain access.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Components with workplace parameters

Component	CAS-No.	Value	Control parameters	Basis
		IDHL	3000 mg/m^3	
Amorphous silicon dioxide	7631-86-9	TWA	80 mg/m ³ /% SiO2	OSHA PEL
		TWA	6 mg/m^3	NIOSH REL
		TWA	10*, 5** mg/m ³	ACGIH TLV *Total dust, ** Respirable fraction

8.2. Appropriate engineering controls



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

Ensure relevant engineering controls are employed to prevent exceeding threshold values for the listed control parameters in section 8.1.

8.3. Individual protection measures, such as personal protective equipment (PPE)

In normal use and handling conditions refer to the product label for required PPE. In all other cases the following recommendations would apply.

Eye/face protection

Safety glasses or other similar eye protection conforming to ANSI Z87.1 standards recommended when handling product.

Skin protection

Chemical resistant nitrile rubber or similarly compatible gloves recommended when handling product. Dispose of contaminated gloves after use in accordance with applicable local and state regulations. Wash exposed skin with soap and water immediately. Wash all contaminated clothing prior to reuse.

Respiratory protection

Not required under normal use conditions. When risk assessment shows need for air-purifying respirators use NIOSH approved respirators when handling material with the following airborne concentrations:

<u>Up to 30 mg/m³:</u>

(APF = 5) Any quarter-mask respirator.

<u>Up to 60 mg/m³:</u>

(APF = 10) Any particulate respirator equipped with an N95, R95, or P95 filter (including N95, R95, and P95 filtering facepieces) except quarter-mask respirators. The following filters may also be used: N99, R99, P99, N100, R100, P100.

(APF = 10) Any supplied-air respirator

<u>Up to 150 mg/m³:</u>

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter.

<u>Up to 300 mg/m³:</u>

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

<u>Up to 3000 mg/m³:</u>

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

Thermal hazards

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

Appearance;	White powder
Odor;	Odorless
Odor threshold;	No data available
pH;	2.0 − 4.5 (20 °C)
Melting point/freezing point;	>1700 °C (>3092 °F)
Initial boiling point and boiling range;	>1700 °C (>3092 °F)
Flash point;	No data available
Evaporation rate;	No data available
Flammability (solid, gas);	Product is not flammable
Upper/lower flammability or explosive limits;	No data available
Vapor pressure;	No data available
Vapor density;	No data available
Relative density;	0.24 g/ml
Solubility;	Insoluble
Partition coefficient: n- octanol/water;	No data available
Auto-ignition temperature;	No data available
Decomposition temperature;	No data available
Viscosity;	No data available

9.2. Additional Information

No data available

10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under recommended storage conditions.

- 10.3. Possibility of hazardous reactions
- No data available

10.4. Conditions to avoid No data available

10.5. Incompatible materials No data available



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

10.6. Hazardous decomposition products

Other decomposition products - no data available In the event of a fire: see Section 5

11. TOXICOLOGICAL INFORMATION

11.1.	Information of	on toxicological effects			
	Acute Toxicity				
	LD50 Oral - Rat - > 5000 mg/kg				
	LD50 Dermal - Rat - > 6000 mg/kg				
	LD50 Inhalati	$on - Rat - > 2000 \text{ mg/m}^3/4h$			
		Maximum attainable concentration, mortality does not appear.			
	Skin corrosio	n/irritation			
	Skin – Rabbit				
	Results: not as	n irritant			
	(OECD Test 0	Guideline 404)			
	Serious eye d	amage/irritation			
	Eye – Rabbit				
	Results: not as	n irritant			
	(OECD Test (Guideline 405)			
	Respiratory or skin sensitization				
	Not a known s	sensitizer			
	Germ cell mu	Itagenicity			
	AMES Test -	> 5 mg/plate (in vitro)			
	Results: negative, with and without metabolic activation				
	(OECD Test Guideline 471)				
	Carcinogenic	ity			
	IARC:	Category for silica, amorphous (7631-86-9) applies to silicas that may contain crystalline silica.			
		The silica in this product is synthetic and does not contain crystalline silica. IARC: Category 3.			
	ACGIH:	No component of this product presents at levels greater than or equal to 0.1% is identified as			
		probable, possible or confirmed human carcinogen by ACGIH.			
	NTP:	No component of this product presents at levels greater than or equal to 0.1% is identified as			
		probable, possible or confirmed human carcinogen by NTP.			
	OSHA:	No component of this product presents at levels greater than or equal to 0.1% is identified as			
		probable, possible or confirmed human carcinogen by OSHA.			
	Repeated Dos	e Toxicity			
	Oral – NOAE	L (90 d) – Rat			
	Results: 9000	mg/kg bw/day			
	(OECD Test g	guideline 408)			
	Inhalative – N	OAEC (90 d) - Rat			
	Results: 1 mg,	$/m^3$ (rat)			



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

(OECD Test Guideline 413) **Reproductive toxicity** Oral – NOAEL (maternal toxicity/teratogenicity) – Rat Results: 1350 mg/kg bw/day (OECD Test Guideline 414) **Specific target organ toxicity – single exposure** No data available **Specific target organ toxicity – repeated exposure** No data available **Aspiration hazard** No data available

11.2. Other information

No data available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Toxicity to fish	LC50 – Danio rerio (Zebra Fish) - > 10,000 mg/l – 96 h
Toxicity to daphnia	EC50 – Daphnia magna (Water flea) - > 1000 mg/l – 24 h
and other aquatic	EC50 – Scenedesmus subspicatus (Algae) - > 10000 mg/l – 72 h
invertebrates	

12.2. Persistence and degradability

Amorphous silica dioxide is chemically and biologically inert. By the insolubility in water there is a separation at every filtration and sedimentation process.

12.3. Bioaccumulative potential

Does not accumulate in organisms.

12.4. Mobility in soil No data available

12.5. Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1. Disposal Methods.

The best disposal method is to use the entire quantity per label directions. If it is necessary to dispose of unused material then follow the label instructions and relevant local, state and federal waste disposal guidelines.

Product Disposal:

Do not contaminate water, food or feed by storage or disposal.

Packaging Disposal:

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

See section 8 for proper PPE and precautionary handling measures.



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

14. TRANSPORT INFORMATION DOT Not dangerous goods IMDG Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

None

California Proposition 65 Components

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

TSCA

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

16. OTHER INFORMATION

Acronyms and abbreviations used

LD50	Lethal Dose, 50%
OECD	Organization for Economic Cooperation and Development



Safety Data Sheet

Release Date: 5/15/2015 Print Date: 5/27/2015 Version 1.0

IARC	International Agency for Research on Cancer
ACGIH	American Conference of Industrial Hygienists
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
SARA	Superfund Amendments and Reauthorization Act
TSCA	Toxic Substances Control Act
CAS-No.	Chemical Abstract Services - Number
PPE	Personal Protective Equipment
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association
PPM	Parts Per Million
TWA	Time Weighted Average
IDLH	Immediately Dangerous to Life or Health
PEL	Permissible Exposure Limit
REL	Recommended Exposure Limit
TLV	Threshold Limit Value
LC50	Lethal Concentration, 50%
EC50	Effective concentration, half maximal
ANSI	American National Standards Institute
APF	Assigned Protection Factor

Hazard Rating System Crossover

HMIS Rating		NFPA Rating
Health Hazard:	0	Health Hazard: 0
Flammability:	0	Flammability: 0
Reactivity:	0	Reactivity: 0

Preparation information

Prepared by:	Rockwell Labs Ltd
Version:	1.0
Revision Date:	May 15, 2015
Reason for revision:	none

Notice to Reader: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Rockwell Labs Ltd provides no warranties, express or implied, and assumes no responsibility for the accuracy and completeness of the data contained herein. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are trademarks of Rockwell Labs Ltd.



For Control of: Ants, Cockroaches, Firebrats, Silverfish, Spiders, Mites, Bed Bugs, Lice, Fleas, Ticks, and Drywood Termites

Kills Bed Bug Adults and Nymphs Kills Bed Bug Nymphs Hatched from Dusted Eggs Kills Pyrethroid-Resistant Bed Bugs Provides Fast Control Lasts Up to Ten Years When Undisturbed Odorless Non-Staining

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

 EPA Reg. No. 73079-12 EPA Est. No. 73079-MO-1

Net Contents: 4 oz, 5 lbs

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: In edible product areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed, or in serving areas when food is exposed, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Application Directions

Use Sites: In and around residential, multi-family, commercial, industrial, institutional, municipal, agricultural, research, daycare, health care, educational, recreational, and office buildings, hotels, motels, garages, transport vehicles, warehouses, theaters, and food handling and food processing establishments.

General Information: CimeXaTM is a dessicant dust that has no odor and will not stain. When pests contact CimeXaTM, the product clings to their exoskeleton and absorbs the waxy coating, causing death from dehydration.

Application Rates and Methods: Apply at a rate of 2 ounces per 100 square feet. In attics and crawlspaces, apply at a rate of 1 lb per 1000 square feet. Use a handheld bellows, bulb or puffer bottle type duster to apply a light, visible film. A power duster may also be used. Power duster use is limited to cracks, crevices, voids, attics and crawlspaces to insure containment of dust particles. Liquid Application: The product may be used as a spray, paint on application, or foam. Combine 1 lb of product with 1 gallon of clean water. Apply approximately 1 quart of solution per 250 square feet of area to be treated. The product does not dissolve in water and will be left behind after evaporation. For injection treatment, add the appropriate amount of foaming agent to the product/water slurry and inject directly into galleries and voids.

General Pest (Ants, Cockroaches, Firebrats, Silverfish, Spiders, Mites) Treatment: Treat attics, crawl spaces, trash closets, utility closets, behind baseboards, around the perimeter of dropped ceilings, in hollow furniture legs; under and behind bedding, appliances and vending machines; in wall voids and voids under and behind cabinets, sinks and tubs; in drawer wells, garbage chutes, pipe chases, weep holes in brick or siding, elevator

pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. Focus application in areas where insects or their signs are seen.

Application tips for certain use sites follow:

1. In attics, be sure to get dust near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure.

2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.

3. The bottom drawers in kitchen and bathroom cabinets can be removed and dust applied into drawer wells. No dust should be left exposed when drawers are replaced.

 Electrical switch plate covers can be removed to allow access to voids, but dust shouldn't be applied directly in electri¬cal boxes.

5. If there are cracks between baseboards, cabinets, doorframes, hinges, counters or trim, and walls, these cracks can be lightly dusted with product. If practical, these areas can be

sealed once insect problems have been eliminated, to help prevent future problems. 6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary.

Bed Bug Treatment: Remove bedding and take the bed apart. Treat the interior framework, joints and cracks in the bed frame. Treat the mattress and box spring, paying particular attention to tufts, folds and edges, and the interior framework of the box spring. Remove wall-mounted head boards and treat the back side. Treat picture frames, moldings, hollow furniture legs, cracks and crevices, along baseboards, and any areas with visible signs of infestation, including rugs and carpet. Treat upholstered furniture by removing or lifting (if possible) the cushions and treating the undersurface. Treat the interior framework, cracks and joints of the furniture, and the folds, tufts and edges of cushions and other upholstered areas. Do not treat toys and stuffed animals with product. Treat wall voids by removing electrical switch plate covers to allow access, but don't apply dust directly in electri¬cal boxes. Apply about ¼ oz of dust to each accessible void.

Flea, Lice and Tick Treatment: Treat kennels, pet bedding/rest areas, floor and floor coverings, cracks behind molding and baseboards and other areas where pests may harbor.

Drywood Termite Treatment: For existing infestations of drywood termites, use a drill or probe to locate and access galleries and inject product directly into galleries. An electric or pneumatic duster which produces a pressure of at least 30 psi and no more than 175 psi should be used to force dust throughout galleries. Any holes left in framing covering must be closed and sealed.

Drywood Termite Prevention: Apply at a rate of 1 lb per 1000 square feet in attics and crawlspaces so that the product coats wood members. Drill periodic access holes into wall and ceiling voids and inject the dust at a rate of 1 lb per 1000 square feet of surface area. Insure sufficient holes are drilled to cover interior framing in voids. The working pressure range of electric or pneumatic dusters should be from 30 to 175 psi and the air supply should be dried if the relative humidity is higher than 50%.

Food Processing and Handling Establishment Application, including Federally-Inspected Meat and Poultry Plants: In food areas, only apply dusts in cracks, crevices, and other inaccessible areas. Avoid contamination of food and feedstuffs. Avoid introducing the product into the air. Never apply powder directly to a surface where food is stored, prepared or served. Any dust that is left visible after treatment should be removed and the exposed surface washed. Food areas include: processing areas, including enclosed systems such as syrup and oil plants, dairies, and mills; packing areas, including bottling, canning, wrapping and boxing; receiving areas; storage areas, including edible waste storage; and serving areas, such as dining rooms. In these areas, dust sparingly into cracks and crevices, such as along baseboards and between construction elements. Do not apply when facility is in operation or when food is exposed. Do not treat surfaces likely to be contacted by food.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in a dry place. Do not store where children or animals may gain access. **Disposal:** If **Empty:** Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If **Partly Filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

Manufactured by:

r <u>Rockwell Labs Ltd</u>. North Kansas City, MO 64116 • 816-283-3167 • www.rockwelllabs.com