



AUD-AD-140-2146904 : رقم التسجيل  
26-04-2023 : التاريخ

قطاع التنوع الغذائي  
إدارة التنمية والصحة الزراعية

تجديدي

تسجيل مبيد

مبيد صحة عامة ( حشري )

تشهد وزارة التغير المناخي والبيئة بأن المبيد بالمواصفات التالية

الاسم التجاري للمبيد : GUADIN SC

بلد التسجيل : تركيا

المواد الفعالة وتركيزها : Dinotefuran 10% w/w (120 g/L w/v)

CAS RN : 165252-70-0

صورة المستحضر : Suspension Concentrate (SC)

حجم العبوة : 250,500,1000 مليلتر

بلد (التسجيل/المنشأ) والشركة المنتجة : ENTOSAV IlacIama Ins - تركيا

الشركة المحلية المستوردة : Agricultural Materials Co, LTD - WLL

تاريخ إصدار الشهادة : 26-04-2023 : صالحة حتى : 30-11-2024

ملاحظات : لا يوجد

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

ملاحظات :

- يعاد تقييم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
- تُلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه آثار جانبية ضارة

سددت الرسوم 1839.06 درهم

رقم إيصال الشهادة : 22873064955334783772

تاريخ إيصال الشهادة : 14-10-2022

مدير إدارة الشؤون البلدية

رمز التحقق : 214-6904



للتحقق من صحة بيانات هذا  
المستند يرجى مسح الشيفرة  
أو زيارة موقع الوزارة

To verify this document  
please scan the QR code  
or visit the ministry's website

هذا المستند معتمد إلكترونيا ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 1 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

## 1) IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY/DISTRIBUTOR

### 1.1. Identification of Substance/Preparation

GUADIN SC is used as blackfly feed with its contained Dinotefuran 120 g/L active agent.

### 1.2. Determined uses and inadvisable uses of substance or preparation

It is used only in the Public Health field. It should not be used other than recommendations in its label. Read the label certainly before use.

### 1.3. Safety data sheet supplier information

Entosav İlaçlama İnş. Tem. Ve Hiz. İşlt. San. Tic. Ltd. Şti.

Tel: +90 262 642 11 82

Fax: +90 0262 642 33 75

e-posta: info@entosav.com

### 1.4. Emergency phone number

IN CASE OF ACCIDENT Tel : 0 216 593 22 05

IN CASE OF INTOXICATION : 114 Poison Information Center

ANKARA

## 2) HAZARDS IDENTIFICATION

### 2.1. Classification of substance and preparation

According to 13.12. 2014 dated and 29204 numbered regulation:

Acute Toxicity Category 4:

H302: Dangerous in case of swallowing.

Aquatic Chronic Toxicity Category 2:

H411: Long term permanent and toxic effect to aquatic environment.

### 2.2. Label elements

**Warning Symbols:**



GHS07

GHS09

**Warning Phrase:** Caution

**Hazard Phrases:**

H302: Dangerous in case of swallowing.

H411: Long term permanent and toxic effect to aquatic environment.

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 2 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

### Precaution Phrases:

P264 Wash with plenty of water and soap thoroughly after handling.

P270 Do not eat, drink anything, or do not smoke while applying this product.

P273 Avoid release to the environment.

P301+P312 WHEN IT IS SWALLOWED: If you do not feel good, call POISON CENTER or doctor/physician.

P330 Rinse your mouth.

P391 Collect spillages.

P501 Dispose the content/container in accordance with regulations of local authority.

### 2.3. Other hazards

## 3) COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Preparations

Substance Name	Quantity	CAS No:	EC No:	13.12. 2014 dated and 29204 numbered regulation
Dinotefuran	10% (w/w)	165252-70-0	-	H302: Acute Tox.4 H400: Aquatic Acute 1 H410: Aquatic Chronic 1
cis-tricos-9-ene	0,1%	27519-02-4	248-505-7	H317 Skin Sensitivity 1B

## 4) FIRST-AID MEASURES

### 4.1. Explanation of first aid measures

In case of poisoning, immediately call a doctor and/or transport to an emergency service.

Get information from Poison Center by dialing 114.

If patient is unconscious or has seizures, never make him/her drink and do not induce vomiting.

Show the doctor the label of the product or this safety data sheet.

#### Swallowing

If swallowed, do not induce vomiting. Immediately call a doctor and / or transport emergency services. A doctor should decide if the patient is required to be vomited.

#### In case of eye contact:

Immediately rinse with water for at least 15 minutes. Keep your eyes as open as possible during rinsing. If irritation persists, get medical attention.

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 3 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

**In case of skin contact:**

Immediately wash skin with soap and plenty of water. Remove contaminated clothes. Wash contaminated clothing before re-use. If irritation occurs, get medical attention.

**In case of inhalation:**

In case of excessive inhalation, remove patient to fresh air. Keep the victim warm and make him/her relax, and seek medical attention if necessary.

**4.2. Most important symptoms and effects, both acute and delayed**

Indications such as dizziness, difficulty in breathing, salivating, diarrhea, pupil constriction, muscle spasms, may be observed.

**4.3. Indication of immediate medical attention and special treatment needed**

There is no specific antidote. Treatment is performed by the doctor according to the instructions.

**5) FIRE-FIGHTING MEASURES****5.1. Extinguishing media**

Water spray or fine spray, carbon dioxide, dry extinguishing agent, foam may be used.

**5.2. Special hazard arising from the substance or mixture**

Nitrogen oxides may arise depending on thermal decomposition or burning and/or toxic or irritating carbon derivatives may form from organic molecules.

**5.3. Advice for fire-fighters**

Wear protective clothing and use self-contained breathing apparatus. Use fire extinguishers as described in section 5.1. Depending on the size of the fire, remove untrained persons quickly from the environment and prevent them from being exposed to fire and smoke. Prevent using the building or equipment before all hazardous substances are completely cleaned. Cool containers within the fire area by using water spray. Limit the amount of water resulting from fire in order to prevent it from entering water systems or drainage systems.

**6) ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

If it is safe, stop the source of the spillage. Prevent spillage to reach soil, ground and underground waters. Wear appropriate protective clothing and wear eye / face protection. Do not smoke, eat or drink.

**6.2. Environmental precautions**

Do not run it off into drains or water. Prevent it to contaminate soil. If the product could not be prevented entering into water or drainage systems, immediately call the authority responsible from water. All contaminated materials must be disposed in accordance with the local regulations.

**6.3. Methods and material for containment and cleaning up**

Absorb it with sand or nonflammable absorbents and place into containers to remove it and dispose. If necessary, clean the environment with alkaline detergent and water. In case of large spills, close the area with barricades and consult the manufacturer. If you need more help, call the emergency hotline.

**6.4. References to other sections.**

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 4 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

## 7) HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Store the material in a well-ventilated, safe area so that children and animals cannot reach it. Do not store food items, drinks or tobacco products in the storage area. If there is any potential exposure to the material, avoid processes such as eating, drinking, smoking, and applying cosmetics. After you use it, wash your body from head to toe.

### 7.2. Conditions for safe storage, including any incompatibilities

Do not store with products that may cause fire.

Use dry well-ventilated, dry areas at ambient temperature.

Keep away from food, drink and animal feed. Keep away from light and the sun. Keep away from open fire. Do not store in areas that may cause the product to mix directly into drinking water supply network against a case of possibility of spillage.

### 7.3. Specific end use(s)

## 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

For emergency situations: Use protective clothing resistant to this material. The selection of suitable material should depend on the process.

### 8.2. Exposure controls

#### Technical precautions

The ventilation should be sufficient and good in most instances. Air-suction device may be required for some local situations.

#### Respiratory protection

In most cases, respiratory protection may not be necessary. However, use certified air-purifying respirators when exposure limits are and / or disturbing levels are exceeded.

#### Hand/skin protection

Other than clothing covering all the body and water-resistant gloves may not be necessary for short-term contacts. Wash your hands after using this product. Clean clothes and shields and screens if any.

#### Eye/face protection

Avoid contact with eyes. Use safety glasses. In case of contact with liquid form of this product, it is recommended to wear protective goggles against chemicals.

## 9) PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance: White to gray liquid

Odor: Strong cheese odor

Odor threshold: No information available.

pH: 5,5 ±1 (20 °C)

Melting point/freezing point: Not applicable

Initial boiling point and boiling range: No information available.

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 5 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

Flash point: Not applicable

Evaporation rate: No information available

Flammability (solid, gas): Not applicable

Upper/Lower flammability or explosive limits: Not applicable

Vapor pressure: No information available

Vapor density: No information available

Relative density:  $1.2 \pm 1 \text{ g/cm}^3$  (20 °C)

Viscosity: 800- 1400 cP- 30 rpm/63/3 spindle

Solubility: Dispersed by forming suspension in water.

Coefficient of dispersion: n-octanol/water: No information available

Flaming temperature: No information available

Decomposition temperature: No information available.

Particle dispersion: (d50) 1-10  $\mu$

Fluidity: No information available

Explosive properties: No information available

Oxidizing properties: No information available

## 9.2. Other Information

### 10) STABILITY AND REACTIVITY

#### 10.1. Reactivity

It does not react with the packaging under normal storage conditions.

#### 10.2. Chemical stability

Stable under normal storage conditions.

#### 10.3. Possibility of hazardous reactions

Toxic fumes may form in case of combustion.

#### 10.4. Conditions to avoid

Avoid direct sunlight, and keep away from any flame sources, sparks or open flames.

#### 10.5. Incompatible materials

Strong basic, acidic or oxidizing agents

#### 10.6. Hazardous decomposition products

It can form NO and COx gasses by decomposing in very high temperatures.

### 11) TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxic effects

##### Swallowing

Active agent for rats oral **LD50 =2450 mg/kg**

##### Skin contact

Single long term exposure may be irritating when the substance is absorbed by the skin in quantities that will cause damage.

Active agent for rats acute dermal **LD50 >2000 mg/kg**

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 6 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

### Sensitivity

There is no information on encountering any sensitizing effects in Guinea Pig Skin.

### Eye Contact

Irritation is not expected in case of eye contact.

### Inhalation

When it is applied properly and necessary measures are taken, negative and irritation effects are not expected to occur.

Active agent for rats acute inhalation **LD50> 4.09 mg/L**

## 12) ECOLOGICAL INFORMATION

The evaluation is based on data for active ingredient substantially or completely.

### 12.1. Toxicity

#### Bee toxicity:

Test	48 –hours-LD <sub>50</sub> (µg/bee)
Oral	0.0223 µg a.i. / bee
Contact	0.056 µg a.i. / bee

#### Aquatic toxicity:

Species	Results
Bluegill fish LC <sub>50</sub> (96hr)	>100 mg a.i. /L
<i>Daphnia magna</i> EC <sub>50</sub> (48hr)	>1000 mg a.i. /L
Algae EC <sub>50</sub> (72hr)	>100 mg a.i /L

**Statement on fish toxicity:** Dinotefuran shows very low acute toxicity to the above aquatic organisms.

#### Effect on natural enemies:

Species	Result
<i>Pardosa pseudoannulata</i>	Mortality at 120 hrs after spraying at 200ppm: <13.3 %

#### Effect on earthworm:

Test	Result
28 days for mortality, LC <sub>50</sub>	5.1 mg a.i./kg dry soil
28 days for reproduction, EC <sub>50</sub>	1.2 mg a.i./kg dry soil

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 7 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

#### Effect on Birds:

The following values were determined in acute oral studies

Species	Acute oral LD <sub>50</sub> mg/kg
Bobwhite quail	LD <sub>50</sub> : >2250 mg a.i./kg

**Statement on bird toxicity:** Dinotefuran is not toxic to birds.

#### 12.2. Persistence and degradability

Data have been presented that show that dinotefuran did degrade albeit relatively slowly in the aquatic environment with a worst-case DT50 value of 112 d for total river system (and 88.3 d in total pond system) at 12 °C under aerobic conditions in a sediment/water system. Soil degradation data indicates that dinotefuran degrades quickly in aerated soil, with a DT50 of only 19.2 d at a normalized temperature of 12 °C.

#### 12.3. Bioaccumulation potential

No direct data is available about bioaccumulation of dinotefuran in fish. However, we believe that it is not necessary to perform the study from the following scientific viewpoints: When the n-octanol / water partition coefficient log POW is <3, study of bio concentration potential in fish is usually not required according to global criteria. In fact, dinotefuran shows very low log POW (-0.549 at 25°C). Along with its very high water solubility (39.83 g/L at 20°C), dinotefuran is quite unlikely to accumulate in organs of fish.

#### 12.4. Mobility in soil

Koc range in 5 Soils (loamy sand, silt loam, loam, sandy loam and clay loam):

Koc = 6–45 (average = 31.4), very high mobility in soils.

#### 12.5 Results of PBT and vPvB evaluation

Even though dinotefuran may appear to fulfil two (vP and T) out of the 3 criteria that need to be considered, it can be accepted that it is neither a PBT nor a vPvB substance

#### 12.6 Other adverse effects

#### Other Information

This product may have toxic effects on wildlife. It has low toxicity to bees. Do not apply to areas that are frequently visited by honey bees. Avoid mixing with waters suitable for home use.

### 13) DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

The substance is expected to be very poisonous for aquatic organisms. Do not contaminate water bodies, water courses or water ditches with the chemical substances and empty container of this product. Wash out well and safely. The containers and washing waters to be disposed safely. The preferred method is sending them to certified waste recycling centers or certified waste incineration facilities. Containers should not be reused for any purpose.

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 8 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

### Waste Code

20 01 19*	Pesticides	A
-----------	------------	---

## 14) TRANSPORT INFORMATION

### 14.1 U.N. Number:

UN No. (ADR/RID/ADN) : 3082

UN No. (IMDG) : 3082

UN No. (IATA/ICAO) :3082

**14.2 Suitable UN transport name:** Environmentally dangerous liquid n.o.s (dinotefuran 10%)  
Environmentally hazardous substance not restricted as per SP A197

### 14.3 Shipping Hazard Class (es)

ADR/RID/ADN Class: 9

IMDG Class: 9

IATA/ICAO Class: 9

### 14.4 Packing Group:

ADR/RID/AND: III

IMDG: III

IATA/ICAO: III

### 14.5 Environmental Hazards:

Environmentally hazardous

Review Sections 6-8 in the Safety Data Sheet.

(It was issued in accordance with Regulation on Preparation and Distribution of Safety Data Sheets for Dangerous Substances and Preparations which entered into force by being published in 13.12.2014 dated and 29204 numbered Official Gazette.)

Product Name: GUADIN SC

Page 9 / 7

Date of Issue: October 2015

Date of Reissue: September 2016

Revision No : 1

Form no:025

## 15) REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This is prepared in accordance with the Directive on Preparation of Safety Data Sheets for Hazardous Substances and Mixtures that had come into force after being published in the Official Gazette dated 13.12.2014 with no.29204.

## 16) OTHER INFORMATION

List and description of all risk phrases:

Acute Tox. Acute Toxicity

Skin Sensitivity-

Aquatic Acute- Hazardous to aquatic environment with acute effect Aquatic

Chronic- Hazardous to aquatic environment with chronic effect

H302: Hazardous in case of swallowing.

H317: It causes allergic skin reactions.

H400: Very toxic in aquatic environment.

H410: Long term permanent and very toxic effect to aquatic environment.

H411 Long term permanent and toxic effect to aquatic environment.

Information stated herein is given to the best of our knowledge. However, no warranty is given directly or indirectly about the properties.

*I the undersigned hereby certify document herein  
has been translated from Turkish to English in  
authentic form and manner by myself.*

*Registered Translator  
ERKAN KANDEMİR*

## PRECAUTIONARY STATEMENTS

Do not use on food or utensils. It cannot be used on surfaces where food is handled, prepared, served or consumed. Do not make the application in the presence of people or pets. Do not apply on visible or accessible areas. Avoid contact with treated surfaces. Do not mix with other chemical products. Do not apply to children's play areas, kindergartens and nursery schools. Adequate ventilation of the treated areas before entering them. Do not inhale the spray - Please wear a mask and protective clothing when using, wash your hands with soap and water after use - Toxic to bees and aquatic organisms - In case of inhalation move the patient to the open air - In storage keep it away from sunlight - Do not eat or drink during use - Avoid release into the environment - Collect spills in appropriate ways.

### التحذيرات

لايستخدم على الطعام او المعدات المستخدمة في تحضير الطعام، لا يستخدم على الأسطح التي يعد أو يقدم عليها الطعام، تجنب استخدام المبيد في وجود الناس أو الحيوانات الأليفة، لا يستخدم المبيد في الأماكن المكتشوفة والتي من السهل الوصول إليها، يجب تجنب الدخاكن المباشر بالأسطح المعاملة، يجب عدم خاط المبيد مع مواد كيميائية أخرى، عدم استخدام المبيد في الأماكن التي يلعب بها الأطفال وفي الحدائق، تحفظ العيوبات مغلقة بعيدا عن متناول الأطفال وللأشخاص غير المؤهلين والدورات، يجب تهوية الأماكن المعاملة جيدا قبل دخولها، لا تستنشق الرذاذ - يرجى ارتداء القناع والملابس ا واقية عند الاستخدام، غسل يدك بالماء والصابون بعد الاستخدام - سام للنحل وللحياة المائية - في حال الاستنشاق أقم المريض إلى الهواء الطلق - في التخزين احتفظ بعيدا عن أشعة الشمس - لا تأكل ولا تشرب أثناء الاستخدام - تجنب الانطلاق في البرقة - جمع النساكب بالطرق المناسبة.

### First Aid الإسعافات الأولية

If Swallowed: Don't induce vomiting, immediately contact a doctor and show him the label or container.

في حالة البلع: لا تقيأ و اتصل فوراً بالطبيب و احضر لو النشرة المرفقة أو عبوة المبيد.

If Inhaled: move the patient to the open air consult a doctor.

في حال استنشاق المبيد: انتقل المصاب إلى الهواء الطلق استشر الطبيب.

If on Skin: should be washed off with soap and water.

في حال ملامسة المبيد للجلد: يجب غسله بالماء و الصابون.

If in Eyes: wash immediately with running water and consult a doctor.

في حال ملامسة المبيد للعيون: تغسل فوراً بالماء الجاري و استشارة الطبيب.

### STORAGE AND DISPOSAL

Store in original tightly closed containers, away from children. Store in adequate ventilation. Do not use or store in or around homes. Do not contaminate water, food or feed by storage or disposal. To dispose, triple rinse the container then punctures and disposes in accordance with local regulations. Never reuse empty containers.

### التخزين و التخلص من العبوات

التخزين في العبوات الأصلية محكمة الغلق بعيدا عن الأطفال وفي مكان جيد التهوية. عدم استعمال أو تخزين المبيد قريبا من السكن. تجنب تلوث ا لأكل والشراب وطعام الحيوانات أثناء التخزين. التخلص من العبوات الفارغة حسب القوانين المحلية.

### DIRECTIONS FOR USE

GUADIN SC is applied on the surfaces where houseflies are available and active through back pumps or hand pumps in the form of spraying. GUADIN SC contains dinotefuran active agent which is the member of Furanicotinyl that is the subgroup of Neonikotinoid group insecticides. GUADIN SC attracts male and female houseflies to itself and ensures to kill them with the mixture of two attractants and one sexual pheromone in its content.

### طريقة الاستخدام

جودين اس سي : يستخدم جودين اس سي على الأسطح التي يتواجد عليها الذباب المنزلي ويستريح من خلال استخدام رشاشات الظهر أو الرشاشات اليدوية في شكل رش. يتدوي جودين اس سي على دينوتيفوران كمادة فعالة وهي ضمن مجموعة فوراينكوتينيل التي هي المجموعة الفرعية من المبيدات الحشرية مجموعة نيونيكوتينويد. يعمل جودين اس سي على جذب ذكور وإناث الذباب إليه وتضمن قتلها بمنزلة من جاذبين وفيرومون جنسي وأحد في مكوناتها.

**Guadin** (SC)  
Suspension Concentrate (SC)  
To control Flies

**جودين اس سي**

حشري على شكل مركز معلق  
مبيد صحة عامة

### MOCAE Registration Number:

AUD-AB-140-2146904

(رقم تسجيل المبيد بوزارة التغير المناخي والبيئة)  
دولة الإمارات العربية المتحدة



### CAUTION

KEEP OUT OF REACH OF  
CHILDREN

تحذير  
يحفظ بعيدا عن متناول الأطفال

Net Contents: 500 ml  
Active Ingredient: Dinotefuran  
10% (120g/ml)  
Inert Ingredients: 90 %

المحتوى الصافي: 500 مل،  
المواد الفعالة : دينوتيفوران  
10% (120 غ/مل)  
المواد الحاملة 90 %

Batch No.  
Date of Production:  
Expiry Date:

تاريخ الإنتاج:  
تاريخ الانتهاء:  
رقم التشييلة:

## Uses / الاستخدامات

Insects	Application Method	Application Rate	Dosage (a.i./m2)	Application Area	Application Period
House flies	Indoor and outdoor area spray	1 liter product + 9 liter water	0,125 g a.i./m2	10 liters mixture is applied to 960 m2 area.	90 days
	Indoor and outdoor area - painting	1 liter product + 100 ml water	0,125 g a.i./m2	It is painted on 960 m2 area with a mixture of 1.1 liters.	
الدشرة	طريقة الاستخدام	معدل الاستخدام	الجرعة (مادة فعالة)	المنطقة الداخلية والخارجية	الفترة
الذباب المنزلي	رش المنطقة الداخلية والخارجية	1 لتر من المنتج + 9 لتر ماء	0,125 جم من المادة الفعالة/م2	10 لتر من الخليط على مساحة 960 م2	90 يوم
	رش المنطقة الداخلية والخارجية وعلى الدهانات	1 لتر من المنتج + 100 مل ماء	0,125 جم من المادة الفعالة/م2	يتم دهانته على مساحة 960 م2 بخليط من 1.1 لتر	

## APPLICATION

**Spray Method:** The 10 liters of mixture is sufficient to apply on an area of 960 m2. The obtained mixture is sprayed by the aid of a spray. This mixture is applied to places such as walls, windows and columns where houseflies are land on. In spray application, add the diluent first, then add the product and mix. Guadin SC maintains its effectiveness in spray application against housefly adults for 90 days.

**Painting Method:** In the painting application, add the diluent to the product and mix. Painting application is done with materials brush, paint roller. 1.1 liter mixture is sufficient for an area of 960 m2. This mixture is applied to several different points (approximately 10 cm x 30 cm) such as walls, window surrounds, columns and poles where the houseflies are located/landed on. In the case of cracked walls where the application is not suitable, the application can be made by cardboard or polyethylene pieces and by hanging them on the ceiling.

### الاستخدام

طريقة الرش: 10 لترات من الخليط كافية للاستخدام على مساحة 960 م2. يتم رش الخليط الذي تم الحصول عليه بمساعدة الرذاذ يستخدم الخليط على أماكن مثل الجدران والنوافذ والأعمدة التي يهبط عليها الذباب، عند استخدام برش، أضف المذيب أولاً، ثم أضف المنتج واخلطه. يحافظ جودين اس سي على فعاليته في الرش ضد ذبابة المنزل البالغة لمدة 90 يوماً

طريقة الدهان : في استخدام طريقة الدهان، أضف المذيب إلى المنتج واخلطه. يتم استخدام الدهان باستخدام فرشاة المواد، أسطوانة الدهان خليط 1.1 لتر يكفي لمساحة 960 م2. يستخدم الخليط على عدة نقاط مختلفة (حوالي 10 سم x 30 سم) مثل الجدران والنوافذ المحيطة والأعمدة والأعمدة التي يوجد فيها / يهبط عليها الذباب، في حالة الجدران المتصدعة يكون الاستخدام غير مناسب، يمكن استخدامه بواسطة قطع من الورق المقوى أو البولي إيثيلين وتعليقها على السقف

### الشركة المنتجة - Manufacturing Company

**Entosav**

بلد المنشأ: تركيا / Origin: Turkey

Entosav İlaçlama İsm. Tem. ve Hiz. İst. San. Tic. Ltd. / انتوساف

Tel: +902626421182 Fax: +902626423375 info@entosav.com

Local Distributor - الموزع المحلي -



Agricultural Materials Company Ltd / شركة المواد الزراعية المحدودة - ذ.م.م.  
P.O.Box 1290 AL Ain / UAE  
Tel 00971 3 7641064  
amc.emirates@agrimateco-me.com

### WARRANTY STATEMENT

The manufacturer guarantee the chemical and physical specification of this pesticide if stored in original packing under good storage conditions during its validity period under UAE conditions.

### الضمان

تضمن الشركة المنتجة المواصفات الكيميائية والفيزيائية لهذا المبيد إذا تم تخزينه في ظروف تخزين جيدة عبواته الأصلية طيلة فترة صلاحيته تحت ظروف دولة الإمارات العربية المتحدة.