



DXB-AD-140-2242998 : رقم التسجيل
27-03-2023 : التاريخ

قطاع التنوع الغذائي
إدارة التنمية والصحة الزراعية

مقيد	كيميائي	تسجيل مبيد
		مبيدات جاهدة الاستخدام (حشري)
		تشهد وزارة التغير المناخي والبيئة بأن المبيد بالمواصفات التالية
		الاسم التجاري للمبيد : Surekill Roach Bait Gel
		بلد التسجيل : الولايات المتحدة الأمريكية
		المواد الفعالة وتركيزها : Imidacloprid 2.15%
		CAS RN : 138261-41-3
		صورة المستحضر : Gel
		حجم العبوة : 40 جرام
		بلد (التسجيل/المنشأ) والشركة المنتجة : Chem-Tech LLC, Neogen - الولايات المتحدة الأمريكية - Corporation
		الشركة المحلية المستوردة : Ecovar Trading LLC
		تاريخ إصدار الشهادة : 27-03-2023
		صلاحية حتى : 26-03-2028
		ملاحظات : لا يوجد

وجد مطابقا لنظام تسجيل المبيدات المتبع لديها وقد أعطيت له هذه الشهادة بناء على ذلك.

ملاحظات :

- يعاد تقييم المبيد كل خمس سنوات حتى يتم تجديد هذه الشهادة بعد ذلك.
- تلغى هذه الشهادة في حالة شطب أو سحب المبيد من قبل المنظمات والهيئات العالمية المختصة في تسجيل المبيد أو ثبت للوزارة تدهور المبيد أثناء فترة صلاحيته تحت الظروف البيئية للدولة أو ثبت أن لديه آثار جانبية ضارة

سددت الرسوم 3021.42 درهم

رقم إيصال الشهادة : 818138973762702426

تاريخ إيصال الشهادة : 22-03-2023

مدير إدارة الشؤون البلدية

رمز التحقق : 228-3961



للتحقق من صحة بيانات هذا
المستند يرجى مسح الشيفرة
أو زيارة موقع الوزارة

To verify this document
please scan the QR code
or visit the ministry's website

هذا المستند معتمد إلكترونيا ولا يحتاج إلى توقيع أو ختم

This document is electronically approved and does not require signature or stamp

MATERIAL SAFETY DATA SHEET**SureKill Roach Gel Bait****SECTION 1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY****1.1. Identification of the formulation**

Product name: SureKill Roach Gel Bait
Product Code: 9204040
Type of biocide: Insecticide
Type of formulation: Gel bait
EPA Reg #: 92028-3-47000

1.2. Use of the substance or preparation Insecticide

1.3. Identification of the company Company Neogen Corporation
placing the product onto the market: 620 Leshler Place
Lansing MI 48912
Telephone: 517-372-9200/800-234-5333 E-Mail: regulatorysupport@neogen.com

1.4. Emergency Telephone Telephone: 1-800-222-1222

SECTION 2. DANGER IDENTIFICATION**2.1. Classification of the substance or mixture**

Aquatic Chronic, 1.



ATTENTION

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains Benzisothiazol-3(2H)-one and 2-octyl-1,2-thiazol-3-one. May produce an allergic reaction

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container according to hazard residues regulation.

2.3. Other hazards

Not known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Composition	Imidacloprid	2.15 % w/w
	Bitrex®	0.008 % w/w
	Inert substances and water	up to 100%

3.2. Dangerous components

<u>CAS No.</u>	<u>CHEMICAL NAME</u>	<u>CLASSIFICATION ACCORDING TO R1272/2008 (CLP)</u>
138261-41-3	Imidacloprid	Acute Toxic 4. Aquatic Acute 1. Aquatic Chronic 1 H302, H410.

MATERIAL SAFETY DATA SHEET

SureKill Roach Gel Bait

SECTION 4. FIRST AID MEASURES

4.1. General first aid measures

Wash skin with plenty of water and soap, without rubbing. Wash eyes with plenty of water for at least 15 minutes. Remember to remove contact lenses. Take the patient to hospital, and if possible, always take the label or container with you.

DON'T LEAVE THE PERSON UNATTENDED.

4.2. Therapeutic measures

Symptomatic treatment.

4.3. In case of medical emergencies, call the poison control center at 1-800-222-1222.

SECTION 5. FIRE- FIGHTING MEASURES

Combustibility No

5.1. Extinguishing media

Pulverized water (do not apply jet directly), foam, chemical powder and CO₂.

5.2. Special hazards arising from the substance or mixture

The combustion products may be toxic and /or irritant. Measures must be taken to prevent the contaminating extinction agent from filtering into the ground or spreading uncontrollably.

5.3. Advice for firefighters

Use autonomous respiratory equipment to protect against smoke and also use protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions

Secure adequate ventilation.

6.2. Measures to protect the environment

Avoid contamination of drains, surface and subterranean water systems, as well as the ground.

6.3. Cleaning method

Recover the product from the affected surface and recover water from the washing for treatment. In the case of spillage into water, avoid spreading using adequate barrier devices. The recovered product must be eliminated according to local legislation. Contact the relevant authorities if the situation cannot be controlled.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with eyes and skin.

7.2 Conditions for safe storage, including any incompatibilities

Keep the recipient well closed. Store in a cool and well ventilated place. It is recommended to keep the product between 41°F to 113°F.

7.3 Specific uses

Insecticide.

MATERIAL SAFETY DATA SHEET

SureKill Roach Gel Bait

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Protection of hands

Use protective nitrile gloves.

Protection of eyes

It is not needed.

Protection of skin

Use adequate protection equipment.

8.2. Exposure controls

Maximum exposure limits for professionals: Not established.

Professional exposure control

Respiratory protection: Not necessary.

Environmental exposure controls

The product must to be manipulated and stored fulfilling the local legislation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. General information

Appearance: Gel
Color: Brown
Smell: Concentrated salty foodstuff.

9.2. Information concerning health, safety and the environment

Ignition point: N.A.
Boiling point: N.A.
Solubility in water: Dispersible
Explosive properties: N.A.
Distillation interval: N.A.
Vapour pressure: N.A.
Density relative to 20 °C: 1,20 – 1,25 g/ml
pH : 4 - 8
Viscosity: >20.000 mPa.s (20 r.p.m. T-E, 20 °C)

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Stable in standard conditions.

10.2. Chemical stability

Avoid extreme temperature changes.

10.3 Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None known.

MATERIAL SAFETY DATA SHEET

SureKill Roach Gel Bait

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

ACUTE TOXICITY

Oral: DL₅₀ > 5.000 mg/kg. (rats)
Dermal: DL₅₀ > 5.000 mg/kg. (rats)
Inhalation: No data available.

DANGEROUS EFFECTS FOR THE HEALTH

Eyes and Skin

Imidacloprid: Non irritating to eyes and skin (rabbits).

LONG TERM STUDIES

Sensitizing

Imidacloprid : Not a dermal sensitizing agent (guinea pigs).

Carcinogenicity:

Imidacloprid: The active ingredient is not carcinogenic (rat and mice).

Mutagenicity:

Imidacloprid: The active ingredient is not mutagenic.

Reproductive toxicity:

Imidacloprid: In a two-generation study in rats, Imidacloprid was not a primary reproductive toxicant.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

The active ingredient is Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

No data.

12.4. Mobility in soil

No data.

12.5. Results of PBT and vPvB assessment

No data.

12.6. Other adverse effects

No data.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Product disposal

Observe clothing rules and protection measures.

Use carbonated or soapy water to clean the floor and contaminated objects. Do not dispose of the waste water in drains or the environment. Cover the product with an absorbent material such as sand, earth or diatomic earth to prevent spreading. Use a suitable Safety container to prevent environmental contamination. The product must not be disposed of in municipal sewer systems, drains or rivers. The treatment and/or disposal must be carried out according to the law. IT must be disposed of at an authorized waste collecting point. The spilled product cannot be reused and must be disposed of.

MATERIAL SAFETY DATA SHEET

SureKill Roach Gel Bait

13.2. Disposal of containers

Empty containers must be disposed of by an authorized dealer. "The end holder of residues from industrial and commercial containers, must keep them in the conditions established in article 12 of the containers and Residues from Containers Law 11/1997."

SECTION 14. TRANSPORT INFORMATION

14.1. Special considerations for transport

Use unbreakable containers, making sure that they are well secured and labelled according to regulations.

Miscibility with water: Dispersible.

Classification for the transport by rail/road RID/ADR: Not classified as dangerous.

Classification for transport by sea, code-IMDG: The product can be carried by ship, in accordance with the IMDG regulations, it does not present any type of danger in loading, transport or unloading.

Classification for transport by air IACO/IATA: Not classified as dangerous.

SECTION 15. NORMATIVE INFORMATION

15.1. Applied regulations

This safety data sheet has been developed in accordance with ANNEX III of Regulation (EC) No 1907/2006, as amended by Article 59 (5) of Regulation (EC) No 1272/2008, Regulation (EU) No 453 / 2010 laying down the requirements for the preparation of the safety data sheets used to provide information on chemical substances and mixtures in the European Union and as amended by Commission Regulation (EU) 2015/830 of 28 May 2015 Amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

15.2 Chemical safety assessment

N.A.

SECTION 16. FURTHER INFORMATION

Danger substances mentioned on section 3 but not corresponded with product danger classification.

Classification according with the Reglamento (CE) 1272/2008 [UE-GHS/CLP]

H302 Harmful if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Recommended use

Read the label carefully before use. Do not mix with any other chemical. Localized application.
Follow instructions of use in order to prevent risks for people and the environment.

Additional information

The information published here is based on the knowledge and good work of the safety data sheets of the raw materials manufacturers. Therefore, it cannot be interpreted as a guarantee for any specific property of the product. As consequence, it is the users exclusive responsibility to decide whether the information provided is appropriate or useful.

This actualized revision version of the Material safety data sheet replace previous versions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

USE RESTRICTIONS:

- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.
- Do not treat food preparation surfaces. Keep bait gel away from foods and food contact surfaces.
- Clean up spilled food and debris before applying bait gel to dry surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over bait gel as it may cause the bait gel to become repellent.
- Do not apply bait gel in areas where there is risk of electrical shock.

APPLICATION DIRECTIONS:

Product may stain textiles, fabrics, and porous surfaces. Avoid applying to fabric or carpeting to prevent staining.

Application rate for all uses: Remove cap from tip and apply bait gel to treatment area. Replace cap after use. Application rate varies according to the species of cockroach to be controlled. Apply bait gel as rounded spots (approximately 1/8" inch or 4 mm in diameter) or in line approximately 1/8-inch wide and varying lengths according to the application table below. Each rounded drop weighs approximately 0.0014 ounce (0.04 grams).

Apply into cracks, crevices, holes and other small openings where roaches may be a problem. Place bait gel close to cockroach harborage, foraging, and feeding areas such as corners, cracks and crevices, and places where cockroaches may have access into structures. Numerous smaller bait gel placements provide more opportunities for cockroaches to feed on the bait gel than fewer larger placements.



Schematic representation of the drop size

Indoor and Outdoor Use Table: Match application rates according to the area and species of cockroach being treated.

Cockroach Species	Minimum Application Rate per square yard		Application Rate per 100 square feet		
	Drops	Oz.	Drops	Oz.	Total Bead Length (inches)
German	3	0.0047	37	0.0522	7
Oriental	5	0.0071	56	0.0789	10
American	5	0.0071	56	0.0789	10

Use the table to determine the number of spots or line length of SureKill Roach Gel Bait according to the species of cockroach. Inspect placements of bait gel every one to two weeks. Replenish bait gel based on the amount consumed or, replace dried out bait with fresh bait as needed.

Indoor Use: Apply bait gel directly into cracks and crevices leading into wall, ceiling or floor voids - areas where insects harbor. Apply bait gel under and/or behind equipment and appliances (such as: dishwashers, refrigerators, ice machines, washing machines), sinks and countertops; behind electrical switch plates. Apply gel bait around plumbing pipes and openings leading into wall voids next to tubs and toilets; around windows, doors, and potential points of entry.

Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If bait gel contacts an exposed surface where food is handled, remove bait gel, wash exposed surface and rinse prior to use.

Food/feed areas include areas for receiving, storage, packing, (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed, and facility is in operation. Apply bait gel in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases; around plumbing pipes, doors and windows; behind and under refrigerators, cabinets, sinks, stoves, and other equipment where cockroaches hide. During follow-up visits inspect bait gel placements and reapply when necessary.

Use Restrictions in Food/Feed Handling Establishments:

- Do not apply bait gel to areas where food/feed, utensils, or processing surfaces may become contaminated.
- Do not apply bait gel to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation, and prepared food holding surfaces as bait gel may be removed by washing.
- Do not deposit bait gel onto exposed surfaces. If bait gel contacts an exposed surface, remove bait gel and wash exposed surface.
- Do not contaminate food and feedstuffs.

Outdoor Use - adjacent to home or structure: Cockroaches typically infest dark, warm and damp areas. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection or aided by trapping techniques or spot flushing.

Place bait gel in areas adjacent to structures where roaches may nest or breed, or potential points of insect entry. Apply bait gel directly into cracks and crevices of walls, building voids, around sheds, porches, and other outdoor buildings, behind siding and molding, around windows, doors, sills, eaves and soffits, in expansion joints, and pipes where roaches may enter the building. Inspect bait placements every one to two weeks and replenish bait based on the amount consumed.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Non-refillable container. Do not reuse this container. If empty: Offer container for recycling, if available, or place in trash if allowed by state and local regulations. If partially filled: Call your local solid waste agency for disposal instructions.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Standard Time. In the event of a medical emergency, call your poison control center at 1-800-222-1222.

L7088-1020

SureKill[®] ROACH GEL BAIT

SureKill Roach Gel Bait is a ready-to-use insecticide product to control roaches

- Kills cockroaches where they hide, breed and live
- Use indoors and outdoors adjacent to home or structure

KILLS: Cockroaches, including American, German and Oriental, Smokey Brown, and other species.

FOR USE IN AND AROUND STRUCTURES: As a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches. Use SureKill Roach Gel Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non- food/ non-feed areas of institutional, warehousing and commercial establishments, including: warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, homes, industrial buildings, office buildings, animal boarding, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include: bedrooms, living rooms, bathrooms, closets, media rooms, garage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, basements, attics, crawl spaces, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as specified in the Food/Feed Handling Establishments section.

Product will need to be applied with an applicator gun suitable to fit 1.4 oz. (40 gm) cartridges

ACTIVE INGREDIENT:

Imidacloprid.....2.15%

OTHER INGREDIENTS:.....97.85%

TOTAL.....100.00%

EPA Reg. No. 92028-3-47000 EPA Est. No.92418-ESP-1

STOP – READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN

See back panel for complete label, including directions for use and storage and disposal.

Item No. 9204040



Net Contents: 4 x 1.4 oz (40 g) Cartridges
5.6 oz (160 g)



Manufactured For:

Chem-Tech, Ltd.[™]
1006 Business Highway 5
Pleasantville, IA 50225 U.S.A.